Kentucky Needs Assessment Project 2005 Adolescent Household Survey Report

Prepared for: Kentucky Cabinet for Health and Family Services Department of Mental Health and Mental Retardation Services Division of Mental Health and Substance Abuse

Prepared by: University of Kentucky Center on Drug and Alcohol Research

May 2006



cdar.uky.edu

Needs Assessment Staff

J. Matthew Webster Principal Investigator

> David Clark Study Director

Thomas Garrity Co-Investigator

Carl Leukefeld Co-Investigator

Robert Walker Co-Investigator

IUPUI Survey Research Center

James Wolf Director

Table of Contents

Executive Summary	. 11
Purpose, Objective, and Method	. 17
Study Design	17
Principal Findings	18
Approach	20
Acknowledgements	25
Demographics	. 27
Nicotine	. 31
Alcohol	. 35
Drugs	. 39
DSM-IV-TR Criteria	
Treatment Utilization and Treatment Need	. 67
Attitudes and Beliefs	. 71
Alcohol and Drug Use Correlates	77
1998 Kentucky Adolescent Household Survey Comparison	. 79
Regional Comparisons	. 83
Concluding Remarks	. 87
References	. 89
Appendix: Survey Instrument	. 91

List of Figures

Figure		Page
-	Section 2 - Demographics	_
2.1	Distribution of grade point averages	28
	Section 3 - Nicotine	
3.1	Percent of adolescent Kentuckians who ever smoked at least one and at least 100 cigarettes	31
3.2	Percent of adolescent Kentuckians who smoked at least one and at least 100 cigarettes by age group	32
3.3	Time since last cigarette	33
3.4	Percent of adolescent Kentuckians who ever used smokeless tobacco by gender	34
	Section 4 - Alcohol	
4.1	Lifetime alcohol use for adolescent Kentuckians by gender	35
4.2	Prevalence of alcohol use for adolescent Kentuckians by age	35
4.3	Average number of days per month of alcohol use for adolescent Kentuckians who drank within the past month by age and gender Section 5 - Drugs	36
5.1	Lifetime, past year, and past 30 day marijuana use rates for adolescent Kentuckians	40
5.2	Lifetime marijuana use rates for adolescent Kentuckians by age and gender	41
5.3	Lifetime, past year, and past 30 day cocaine use rates for adolescent Kentuckians	42
5.4	Lifetime cocaine use rates for adolescent Kentuckians by age and gender	43
5.5	<i>Lifetime, past year, and past 30 day other stimulant use rates for adolescent Kentuckians</i>	44
5.6	<i>Lifetime other stimulant use rates for adolescent Kentuckians by age and gender</i>	45
5.7	Lifetime, past year, and past 30 day oxycodone use rates for adolescent Kentuckians	46
5.8	Lifetime oxycodone use rates for adolescent Kentuckians by age and gender	47
5.9	Lifetime, past year, and past 30 day other opiate use rates for adolescent Kentuckians	48
5.10	Lifetime other opiate use rates for adolescent Kentuckians by age and gender	49
5.11	Lifetime, past year, and past 30 day sedative use rates for adolescent Kentuckians	50

Figure		Page
5.12	Lifetime sedative use rates for adolescent Kentuckians by age and gender	51
5.13	Lifetime, past year, and past 30 day hallucinogen use rates for adolescent Kentuckians	52
5.14	Lifetime hallucinogen use rates for adolescent Kentuckians by age and gender	53
5.15	Lifetime, past year, and past 30 day club drug use rates for adolescent Kentuckians	54
5.16	Lifetime club drug use rates for adolescent Kentuckians by age and gender	55
5.17	Lifetime, past year, and past 30 day inhalant use rates for adolescent Kentuckians	56
5.18	Lifetime inhalant use rates for adolescent Kentuckians by age and gender	57
5.19	Lifetime, past year, and past 30 day other drug use rates for adolescent Kentuckians	58
5.20	Lifetime other drug use rates for adolescent Kentuckians by age and gender	59
5.21	Lifetime, past year, and past 30 day illicit drug use rates for adolescent Kentuckians	60
5.22	Lifetime illicit drug use rates for adolescent Kentuckians by age and gender	61
	Section 6 - DSM-IV-TR Criteria	
6.1	Substance abuse for adolescent Kentuckians by gender	63
6.2	Three or more dependence criteria in their lifetime for adolescent Kentuckians by gender	64
6.3	Substance abuse for adolescent Kentuckians by age	65
6.4	Percent of adolescent Kentuckians who ever met three or more dependence criteria by age	66
	Section 7 - Treatment Utilization and Treatment Need	
7.1	Reason for entering alcohol or drug treatment	67
7.2	Estimated percent of adolescent Kentuckians in need of treatment by race and ethnicity Section 8 - Attitudes and Beliefs	69
8.1	Percent of adolescent Kentuckians who believe they would be seen as "cool" if they used cigarettes, alcohol, or marijuana by age group	71

Figure		Page
8.2	Percent of adolescent Kentuckians who believe their parents think it is very wrong to use cigarettes, alcohol, or marijuana regularly by age group	74
8.3	Percent of adolescent Kentuckians who drink by grade point average	75
8.4	Percent of adolescent Kentuckians who use drugs by grade point average	76
8.5	Percent of adolescent Kentuckians meeting abuse or dependence criteria by grade point average	76
	Section 10 - Regional Comparisons	
10.1	Sampling regions	83

List of Tables

Table		Page
	Section 1 - Purpose, Objective, and Method	
1.1	Call dispositions	22
	Section 2 - Demographics	
2.1	2005 United States Census Kentucky adolescent population estimates by age and gender	27
2.2	Kentucky adolescent race and ethnicity estimates	27
2.3	<i>Kentucky household distribution by the number of adults and children living in the home</i>	28
2.4	Percent of adolescent Kentuckians with a cell phone for personal use by age group	29
	Section 3 - Nicotine	
3.1	<i>Estimated number of adolescent Kentuckians who smoked cigarettes in the past 30 days, past year, and lifetime by gender</i>	31
3.2	Estimated number of adolescent Kentuckians who smoked cigarettes in the past 30 days, past year, and lifetime by age group	32
3.3	Estimated number of adolescent Kentuckians who ever used smokeless tobacco by age group and gender	34
	Section 4 - Alcohol	
4.1	<i>Estimated number of adolescent Kentuckians who used alcohol in their lifetime, within the past year, and within the past 30 days</i>	36
4.2	Average number of days per month of alcohol use for adolescent Kentuckians who drank within the past month by gender	36
4.3	Percent and estimated number of adolescent Kentuckians who ever drank and binged on alcohol at least once	37
	Section 5 - Drugs	
5.1	Lifetime drug use prevalence for adolescent Kentuckians by gender	39
5.2	Estimated number of adolescent Kentuckians who ever used marijuana	41
5.3	Estimated number of adolescent Kentuckians who ever used cocaine	43
5.4	Estimated number of adolescent Kentuckians who ever used other stimulants	45
5.5	Estimated number of adolescent Kentuckians who ever used oxycodone	47
5.6	Estimated number of adolescent Kentuckians who ever used other opiates	49
5.7	Estimated number of adolescent Kentuckians who ever used sedatives	51

Table		Page
5.8	Estimated number of adolescent Kentuckians who ever used hallucinogens	53
5.9	Estimated number of adolescent Kentuckians who ever used club drugs	55
5.10	<i>Estimated number of adolescent Kentuckians who ever used inhalants</i>	57
5.11	Estimated number of adolescent Kentuckians who ever used other drugs	59
5.12	Estimated number of adolescent Kentuckians who ever used illicit drugs Section 6 - DSM-IV-TR Criteria	61
6.1	Estimated number of adolescent Kentuckians who meet abuse criteria by gender	63
6.2	Estimated number of adolescent Kentuckians who ever met three or more dependence criteria by gender	64
6.3	Estimated number of adolescent Kentuckians who ever met abuse or dependence criteria by age	66
	Section 7 - Treatment Utilization and Treatment Need	
7.1	Estimated number and percent of adolescent Kentuckians in need of alcohol or drug treatment	68
	Section 8 - Attitudes and Beliefs	
8.1	Percent of adolescent Kentuckians who believe they would be seen as "cool" if they used cigarettes, alcohol, or marijuana by those who have and have not used that substance	71
8.2	Perception of risk for cigarette, alcohol, and drug use among adolescent Kentuckians	72
8.3	<i>Relative risk for adolescent Kentuckians to ever use drugs or alcohol by the number of close friends who drink or use drugs</i>	73
8.4	Adolescent Kentuckians' perception of parents' disapproval of using cigarettes, alcohol, or marijuana regularly	74
8.5	<i>Percent of adolescent Kentuckians who drink or use drugs by nicotine use</i>	77
8.6	<i>Relative risk for adolescent Kentuckians who use nicotine to drink or use drugs compared to adolescents who do not use nicotine</i>	77
8.7	Percent and relative risk ratio for lifetime alcohol and drug use for adolescents with a driver's license, cell phone, and job outside of the home	78

Table		Page
	Section 9 - 1998 Kentucky Adolescent Household Survey Comparison	
9.1	Comparison of 1998 and 2005 cigarette smoking for adolescent Kentuckians by gender, age group, and race	79
9.2	Comparison of 1998 and 2005 smokeless tobacco use for adolescent Kentuckians by gender, age group, and race	79
9.3	Comparison of 1998 and 2005 drinking for adolescent Kentuckians by gender, age group, and race	80
9.4	Comparison of 1998 and 2005 illicit drug use for adolescent Kentuckians by gender, age group, and race	80
9.5	Comparison of 1998 and 2005 marijuana use for adolescent Kentuckians by gender, age group, and race	81
9.6	Comparison of 1998 and 2005 treatment need estimates for adolescent Kentuckians by gender, age group, and race	81
9.7	Comparison of 1998 and 2005 alcohol abuse and dependence estimates for adolescent Kentuckians by gender, age group, and race	82
9.8	Comparison of 1998 and 2005 drug abuse and dependence estimates for adolescent Kentuckians by gender, age group, and race	82
	Section 10 - Regional Comparisons	
10.1	Lifetime cigarette, alcohol, and drug use prevalence rates for adolescent Kentuckians by region	84
10.2	Estimated number of adolescent Kentuckians who ever used cigarettes, alcohol, and other drugs by region	84
10.3	Substance abuse and dependence prevalence and current treatment need for adolescent Kentuckians by region	85
10.4	Estimated number of adolescent Kentuckians who meet abuse or dependence criteria and need treatment by region	85

This page intentionally left blank