Section Six: DSM-IV-TR Criteria

This page intentionally left blank

Alcohol Abuse and Dependence* Lifetime – A higher percentage of males reported DSM-IV-TR criteria for abuse in their lifetime than females. Figure 6.1 presents the percent of persons who reported alcohol abuse or dependence criteria in their lifetime. Table 6.1 presents the estimated number of adult Kentuckians who met DSM-IV-TR criteria for alcohol abuse and/or dependence in their lifetime.




Figure 6.1: Lifetime prevalence of adults with alcohol abuse or alcohol dependence (question Δ 15-A)

Table 6.1: Estimated number of adult Kentuckians who met alcohol abuse or alcohol dependence in their life (question Δ 15-A)

	MALES	FEMALES	TOTAL
Abuse	253,826	80,050	333,876
Dependence	92,773	26,683	119,456
Abuse and/or Dependence	258,406	83,756	342,162

* The term dependence in this report is not a formal diagnosis. For lifetime reports, any person who reported three or more DSM-IV-TR criteria in their life was included as dependent. There is no guarantee that an individual who reported three or more dependence criteria met at least three of these criteria within the same 12-month period.

Alcohol Abuse and Dependence* Past Year – Males were more likely than females to report abuse and/or dependence criteria within the past year. Figure 6.2 presents the percent of persons who met alcohol abuse or dependence criteria in the past year. Table 6.2 presents the estimated number of adult Kentuckians who met DSM-IV-TR criteria for alcohol abuse and/or dependence in the past year.





Figure 6.2: Past year prevalence of adults with alcohol abuse or alcohol dependence (question Δ 15-A)

Table 6.2: Estimated number of adult Kentuckians who met alcohol abuse or dependence in the past year (question Δ 15-A)

	MALES FEMALES		TOTAL
Abuse	94,257	35,578	129,835
Dependence	40,078	14,824	54,902
Abuse and/or Dependence	98,016	38,543	136,559

Drug Abuse and Dependence* Lifetime – Males were more likely to meet criteria for drug abuse or dependence than females. "Drugs" includes any illicit substance or legal medication taken beyond the recommended does or purpose but does not include alcohol. Figure 6.3 presents the percent of persons who reported lifetime drug abuse or dependence criteria. Table 6.3 presents the estimated number of adult Kentuckians who met lifetime DSM-IV-TR criteria for drug abuse and/or dependence.






Table 6.3: Estimated number of adult Kentuckians who met drug abuse or drug dependence in their life (question Δ 15-A)

	MALES	FEMALES	TOTAL
Abuse	44,553	15,565	60,118
Dependence	25,234	8,894	34,128
Abuse and/or Dependence	49,726	15,565	65,291

Drug Abuse and Dependence* in the Past Year – Males were more likely to meet criteria for drug abuse or dependence than females in the past year. Figure 6.4 presents the percent of persons who reported drug abuse or dependence criteria in the past year. Table 6.4 presents the estimated number of adult Kentuckians who met DSM-IV-TR criteria for drug abuse and/or dependence in the past year.




Figure 6.4: Past year prevalence of adults with drug abuse or drug dependence (question Δ 15-A)

Table 6.4: Estimated number of adult Kentuckians who met drug abuse or dependence in the past year (question Δ 15-A)

	MALES	FEMALES	TOTAL
Abuse	34,883	12,595	47,478
Dependence	23,008	8,153	31,161
Abuse and/or Dependence	37,851	12,595	50,446

Any Substance Abuse or Dependence* – Males were more likely to meet abuse or dependence criteria for drugs including alcohol in their lifetime than females. Figure 6.5 presents the percent of persons who reported substance abuse or dependence criteria. Table 6.5 presents the estimated number of adult Kentuckians who met DSM-IV-TR criteria for substance abuse and/or dependence. The large majority of persons who met lifetime criteria also met criteria within the past year. Of those persons who met substance abuse or dependence criteria in their lifetime, only 48.3% indicated that they thought drugs or alcohol were ever a problem.

Figure 6.5: Lifetime and past year prevalence of adults with any substance abuse or substance dependence (question Δ 15-A)




Table 6.5: Estimated number of adult Kentuckians who met any substance abuse
or substance dependence in their life (question Δ15-A)

	MALES	FEMALES	TOTAL
Past Year	117,265	42,990	160,255
Lifetime	269,412	91,168	360,580